

PRODUCT DATA SHEET

Cabildo Suspension LED 2700K White



DESIGN BY:

Eric Solè
2007

MATERIALS:

Aluminium

DESCRIPTION:

Body lamp in painted die-cast aluminium. The indirect light shapes the body lamp, bringing out its winding form and giving it the astonishing appearance of a ring of light. The suspension cables are also feed cables.

Lamp included.

SELECT

LED

White

PRODUCT CODE

1182W10A

Light emission



IP20

Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:	Cabildo Suspension LED 2700K White
Article Code:	1182W10A
Colour:	White
Material:	Aluminium
Series:	Design
Environment:	Indoor
Area contract:	Private Residence

OPTICS

Emission:	Indirect Diffused
-----------	-------------------

DIMENSIONS

Width:	cm 41
Base Length:	cm 19
Base Width:	cm 9.5
Max Height from ceiling:	cm 150
Glow Wire Test:	750 °


LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	44W
Color temperature (K):	2700K
Class:	A

LUMINAIR

Watt:	44W
Voltage:	220-240V
Luminous Flux (lm):	2641lm
CCT:	2700K
Efficiency:	73%
Efficacy:	60.01lm/W
CRI:	90
Dimmable Typology:	Push

DIMENSIONS



COLOUR



PRODUCT DATA SHEET

Cabildo Suspension LED 3000K White



DESIGN BY:

Eric Solè
2007

MATERIALS:

Aluminium

DESCRIPTION:

Body lamp in painted die-cast aluminium. The indirect light shapes the body lamp, bringing out its winding form and giving it the astonishing appearance of a ring of light. The suspension cables are also feed cables.

Lamp included.

SELECT

LED

White

PRODUCT CODE

1182010A

Light emission



IP20

Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:	Cabildo Suspension LED 3000K White
Article Code:	1182010A
Colour:	White
Material:	Aluminium
Series:	Design
Environment:	Indoor
Area contract:	Private Residence

OPTICS

Emission:	Indirect Diffused
-----------	-------------------

DIMENSIONS

Width:	cm 41
Base Length:	cm 19
Base Width:	cm 9.5
Max Height from ceiling:	cm 150
Glow Wire Test:	750 °


LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	44W
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:	44W
Voltage:	220-240V
Luminous Flux (lm):	2824lm
CCT:	3000K
Efficiency:	73%
Efficacy:	64.19lm/W
CRI:	90
Dimmable Typology:	Push

DIMENSIONS



COLOUR



